User:

Monday, 4/23/2007 1:52:43 PM

Process Sheet

Customer

Job Number

: CU-DAR001 Dart Helicopters Services

: 31995

: 12721

Estimate Number P.O. Number

This Issue Prsht Rev. : NIA

: 4/23/2007

S.O. No. : LIA

: NIA

: SMALL /MED FAB Type

Part Number **Drawing Number**

Drawing Name

: D353621 D3536 REV A

: GASKET

Project Number **Drawing Revision**

: N/A

: UIA

Material **Due Date**

: 4/30/2007

Qty:

20 Um:

Each

Written By

First Issue

Previous Run

Checked & Approved By

Comment

: Est Rev:A

New Issue 07-02-14 JLM

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

MNEO60S063

NEOPRENE SHEET 0.063



Comment: Qty.:

0.8928 sf(s)/Unit

Total:

17.8563 sf(s)

NEOPRENE SHEET 0.063

Batch:

2.0

WATER JET

FLOW WATER JET



Comment: FLOW WATER JET

1-Cut as per Dwg D3536

Dwg Rev:_

Prog Rev:_

540

SAD

07/05/03

3.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



2-Deburr if necessary



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SECOND CHECK

4.0

QC8



Comment: SECOND CHECK

PACKAGING 1

PACKAGING RESOURCE #1



5.0

Identify and Stock



Comment: PACKAGING RESOURCE #1

Dart Aerospace Ltd

W/O:		WORK ORDE	R CHANGES	-			
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			. 4				
		1					
			:				
		1	1				
		į.					

Part No:	-	PAR #:	Fault Category:	 NCR: Yes No	DQA:	Date: o	705/07
	1			QA: N/C	losed:	Date: _	

NCR:			·	WORK ORDE	ER NON-CONFORMAN	NCE	(NCR)			
		Deec	ription of NC		Corrective Action Section	В		Verification	Annroyal	Annrova
DATE	STEP		Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Section C	Approval Chief Eng	Approva QC Inspecto
						1				
		1						4		
		1								
		I							i	
		!								
		1	\$40							
		1	119				1		* 41	
		1								
		1				7				
		1								
		1								

NOTE: Date & initial all entries

Date:

Monday, 4/23/2007 1:52:43 PM

User:

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: GASKET

Job Number: 31995

Part Number: D353621

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

QC21

FINAL INSPECTION/W/O RELEASE





Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



DOTAS/07

Dart Aerospace Ltd

W/O:		ı	WORK OF	RDER CHANG	ES				1	
DATE	STEP		PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		.1							1	
		1							ı	
		1							1	
		1							1	
		F							1	
		1							1	
									<u> </u>	<u> </u>

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
	i .		QA: N/C Closed:	Date:

NCR:			WORK ORDI	ER NON-CONFORMANC	E (NCR)			
		Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspecto
						1		
		į						
		1		į				
				·		1		
		è						
		1.				1		
		1				1		
		!		₫.		1		
		J.						

NOTE: Date & initial all entries

DATE

06.10.25

GASKET

06.10.25

NEW

ISSUE

CHECKED

£

D3536

DRAWING NO.

B

C₽

DART

AEROSPACE (

USA,

NC.

1 OF 6 SCALE 1:10



26.65 23.15 21.15 17.65 13.40 9.15 0.90 - 5.65 1.89 DETAIL A 3.90 Ø0.19 3 PLS)

D3536-11 GASKET

UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE SHOP COPY ENGINEERING RETURN TO

(TYP

봀

DOCUMENT

₩

Copyright © 2006 by DART AEROSPACE USA, INC.

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.


PURPOSE

엻

COPIED


- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)

- 2) FINISH: 3) PART IS 4) TOLERAN OTHERM UNLESS
- 5) ALL 6) IDEN PET 7) SEE TE FINE POINT



D3536-13 GASKET

ISM: NONE
rt is symmetrical about ©
ERANCES ARE PER DART QSI 018 L
HERWISE NOTED
. DIMENSIONS ARE IN INCHES
NTIFY WITH DART P/N USING A WHI
RMANENT INK MARKER
E PAGE 6 FOR DETAILS AND SECTION




COPYTIGHT © 2006 by DART AEROSPACE USA, INC.
IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC. THIS DOCUMENT

06.10.25

GASKET

SOFE 1:10

O



1.45 16.35 10.90 1	1.89

WITHOUT NOTICE

봀

DOCUMENT

Š PRIVATE OR

PURPOSE

S

COPIED

1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)

2) FINISH: NONE
3) PART IS SYMMETRICAL ABOUT
4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY RETURN TO ENGINEERING

5) ALL DIMENSIONS ARE IN INCHES

IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER

7) SEE PAGE 6 FOR DETAILS AND SECTION

CHECKED

 \mathcal{Z}

DRAWING NO.

SHEET

4 OF 6 SCALE 1:10

GASKET

B

DART


AEROSPACE PORT HADLOCK,

JSY,

NC.



DATE



MOTES 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063) 2) FINISH: NONE 3) PART IS SYMM PART IS SYMMETRICAL ABOUT ©
TOLERANCES ARE PER DART QSI 018 UNLESS
OTHERWISE NOTED 5) ALL DIMENSIONS ARE IN INCHES
6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT
22 PERMANENT INK MARKER

D3536-31 GASKET

22.50

DETAIL A

≠0.19

(TYP 3 PLS)

23.25
19.75
17.75
14.25 ———
2.00
4.75
1.89 €
6.00 - 6.75 - (TYP 2 PLS)
(ITP 2 PLS) DETAIL A
PENE N

D3536-35 GASKET

	INT INK MARKER 6 FOR DETAILS AND SECTION	I
MEBAZZZ	SHO	
10元 年記 日前	TRN CC	
RANG LED C MENDA NOTICE PROPER	TO YPY	
O PY		

붚

DOCUMENT

ᄶ

2.00

1.89

Œ.

6.00

Copyright © 2006 by DART AEROSPACE USA, II PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART

INC.

TO BE USED FOR ANY AEROSPACE USA, INC.


PURPOSE

욹

COPIED

202.12





¦ 	30.75	-
-	27.25	
-	22.50	İ
14.	- 17.75	
2.00 9.50 -		
1.89 €	8.00	DETAIL A
	· · · \ •0.	.19 (P 4 PLS)

1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)

킾

DOCUMENT

ភ

Copyright © 2006 by DART AEROSPACE USA, INC.

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

PURPOSE OR

COPIED

2) FINISH: NONE
3) PART IS SYMMETRICAL ABOUT
4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

OTHERWISE NOTED


5) ALL DIMENSIONS ARE IN INCHES

6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER

7) SEE PAGE BEFOR DETAILS AND SECTION

RETURN TO ENGINEERING ENGINEERING WITHOUT NOTICE

WORK ORDER





07.62.12

1.88

D3536-41 GASKET

≠0.19 (TYP 2 PLS)

27.98 25.08

18.50

15.00

2.00 -

4.00

DETAIL

붚

DOCUMENT

ᇬ

Copyright © 2006 by DART AEROSPACE USA, INC.

PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

OR COPIED

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)

- 2) FINISH: NONE


 3) PART IS SYMMETRICAL ABOUT ©

 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

 5) ALL DIMENSIONS ARE IN INCHES

 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER

UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE SHOP COPY RETURN TO



CB	CB	DART AEROSPACE USA, INC.
CHECKED	APPROVED //	DRAWING NO. REV. A
#	#	D3536 SHEET 6 OF 6
DATE		TITLE SCALE
06.10.25		GASKET 1:10

DART AEROSPACE LTD	Work Order:	31995
Description: GASKET	Part Number:	D3536-21
inspection Dwg: D3536 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

Inspection Sheet Fawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments	
32.70	4-0.030		ر,	MANUEL BANK OF KARLINGSAMMEN	M-T/Vern	and to account them to a degenerate second	
27.25	+1-0.630	1			M-T/vers	AND THE PROPERTY OF PERSONS ASSESSED AS A PROPERTY OF THE PERSONS ASSESSED AS	
21.80	+1 0.030	21.80			M-T/vern	NATIONAL TO A STATE OF THE STAT	
16.35	+10.030	16.36	V		M-T /vern	Kanan and a control of the control o	
10.90	+1-0.030	10.89			Vern	and the second second second second second	
5.45	4/0,030	5,44		nga a sakhawanama ni sahah ngawha sakhili sa sa	Vern	manama we negate and the control of the	
2.00	+1-0.030	2.01			Vern		
6.00	+4 0.030	8.01	1		Vern	and the second	
8.00	+4 0,030	7.99	/	magnessaments also knowledge as to take the six	Vern		
16.00	+1-0.030	16.00	1		M-T/Vern		
24.00	4-0.030	24.00			M+/vern	all the side of the same of	
\$0.19	4-0.030	0.20		particular and the state of the	Very	prince the six of the second	
1.89	+40,030	1,900		way or an open special and the same of the same statements	Vern		
0.90	11-0,000	0.91		,	vern	MARKET REPORT OF THE RELATIONS AND ADDRESS OF	
0.30	+6 0.030	0.309	/		Vern	was as a state of the state of	
0.30	+1-0.030	0.309	/		Very		
0.063	+1-0.000	0.060	/	THE RESIDENCE OF THE PARTY OF T	Vern	go at more than a great of more than the constants of	
						dept opening a power of the same matchines of	
5							
				appendig to the Million of the Control of the Contr		could not close the action of the same could be considered	
						and and the second of the second of the second of	
1	The same of the sa						
List a Commission of the Commi	The second secon		·			1 2000 Manager 12 18 proposition (4.1)	
· · · · · · · · · · · · · · · · · · ·	The second sections of the second sec	4				na trak manaka ka ta ana a ana a ana a	
· ·							
easurad by: SA	N Bus	lited by: Sn	A STATE OF THE STA	Prot	otype Approval:		
			105/02		Date:	N/A	
Date: 07/05/03 Date: 07/05/03					Revised by Approve		